MESSRS. 客戶公司行號

SPECIFICATION FOR APPROVAL

承認

Product	ELECTRET CONDENSER MICROPHONE	
Part No.	AMF-O60C40-NB3-LF	
Customer Approval		
Customer Part No.		

Approved By	Checked By	Made By
工程部	工程部	工程部
JASON CHEN	ZACK GUO	JERRY CHEN
OCT-22-2013	OCT-22-2013	OCT-22-2013



Advanced Acoustic Technology Corporation 吴宬股份有限公司//常州笠翔电子有限公司



ISO 14001 Certified QS9000 Certified

Head Company / 2F, No.207, Sec. 6, Chung Shan N. Rd., Taipei, Taiwan

Tel: +886-2-8866-5255 Fax: +886-2-8866-5250

大陸總公司 / 中國江蘇省常州市新北區龍虎塘工業園新苑四路 89 號

Tel: +86-519-8511-2382 Fax: +86-519-8510-0908

http://www.aatc.com.tw www.aatc.com.cn EDITION:1.1

RoHS



ADVANCED ACOUSTIC TECHNOLOGY CORP.

昊宬股份有限公司

REVISIONS				
PRODUCT		T	ELECTRET CONDENSER MICROPHONE	
PART NO.) .	AMF-O60C40-NB3-LF	
REV.	REVISER	DATE	DESCRIPTION	
1	JERRY	2006-07-11	Creating new drawing SPEC.	
2	JERRY	2013-10-22	更新公司名稱: 昊宬股份有限公司	
			RoHS	

1. SPECIFICATIONS

AMF-O60C40-NB3-LF

RoHS

01 Electret's Type	Foil type		
02 Sensitivity	-40±3dB (0dB=1V/Pa,1KHz)		
03 Standard Operation Voltage	2.0 V		
04 Output Impedance	2.2 ΚΩ		
05 Directivity	Omni directional		
06 Frequency Range	100 - 20K Hz		
07 Max. Operation Voltage	10V		
08 Current Consumption	Max.0.5mA		
09 Sensitivity Reduction	Within -3dB 0dB=1V/Pa,1KHz Vs=2.0to 1.5V		
10 S/N Ratio	≥58dB		
11 Sound Pressure Level	110 dB		
12 Operating Temperature	-20~+60°C		
13 Storage Temperature	-25~+70°C		

2. MEASURING METHOD

2-1. Test Condition

Standard Conditions:

Generally Temperature 15~35°C

Generally Humidity 45~85%

Generally Atmospheric Pressure 860~1060hpa

Basic Test Conditions:


Temperature 20±2°C

Humidity 60~70%


Generally Atmospheric Pressure 860~1060hpa

2-2. Standard Test Circuit

Vs=2.0V RL=2.2K Ω Te=20°R.H.=60%




2-3. Standard Test Fixture




2-4. Frequency Response Curve

X:1000 Hz Y:-40.3 dBV/Pa

Y:-38.1 dBm/Pa D:0.0 dB





4. RELIABILITY TEST

Item		Test Conditions	Evaluation Standard	
01	High Temp. Test	After exposure at 70° for 96 hours		
02	Low Temp. Test	After exposure at -25°C for 96 hours		
03	Temp. Cycle Test	A After exposure at 70°C for 30 minutes, at room temp. for 10 minutes, at -25°C for 30 minutes, at room temp. for 10 minutes, at 5 cycles.	After any tests , the sensitivity to be within ±3dB of initial sensitivity after 3 hours of conditioning at 20°C and shall	
04	Humidity Test	After exposure at 40°C and 90±5% relative humidity for 96 hour.		
05	Vibration Test	10~50Hz for 1 minute full amplitude 1.52mm for 2 hours at three axis.		
06	Drop test	The microphone unit without packaged must be subjected to each 3 drops at three axis from the height of 1 meter to 20mm thick hardwood.		

5. SOLDERING CONDITION

Every microphone has installed FET, The FET is easy broken by **strong heat** and **static electricity**, so when you working on, pls be attention that:

- a. Recommend using constant searing-iron in temperature range 330±5°C.
- b. Soldering time 2 seconds.
- c. Don't stay any hole or dust when soldering.
- d. To avoid the microphone be broken by static electricity, the people and working station should install prevent static electricity equipment.